inner range

Access Control | Video Surveillance | Security Systems



COMMERCIAL GRADE INTRUSION DETECTION



INNERRANGE.COM

RELIABLE
INTRUSION DETECTION

Inner Range Commercial Grade Intrusion Detectors are designed to provide optimum catch performance and reliability whilst minimising false alarms.

IR Ready, these detectors are factory fitted with an End-of-line (EOL) resistor module that is specific to Inner Range security controllers which dramatically speeds up installation time by reducing the complexity of the installation. This module is easily removed so these high quality detectors are compatible with any brand of security alarm system.

High quality, highly reliable, IR Ready and easy to install, these Commercial Grade Intrusion Detectors will suit any indoor application from residential to highly sensitive commercial applications.


PASSIVE PIR

Choice for everyday intrusion - residential and retail applications



IR-D-P1E

Passive Infrared Detector, 15m Range, Pet Immune



DUAL TECHNOLOGY PIR

Choice for more secure intrusion sensing - commercial and professional applications



IR-D-P2E

Dual Technology Passive Infrared & Microwave Detector, 15m Range




TRI TECHNOLOGY PIR

Choice for advanced high-end high-risk intrusion sensing



IR-D-P3E

Tri Technology Passive Infrared, Microwave with Anti Mask Detector, 15m Range



DOUBLE PROTECTION ANTI-MASKING




IR Anti-masking function generating a trouble signal when detector is masked.

EOL RESISTORS ARE FITTED

You don't have to connect axial resistors into the terminals with the signal cables to differentiate between alarm, trouble and tamper signals.

We have factory installed the EOL resistors to suit Inner Range Control panels speeding up installation and saving money.




HUMAN CATCH ELEMENT




The new element size has been designed to create larger detection areas and optimize sensitivity whilst still eliminating alarms normally generated by small animals.

SMDA LOGIC




By analysing detection patterns and environmental information, SMDA improves immunity against various noise factors such as climate changes.

CONFIGURABLE LENS TYPE



Select a wide or narrow area with one lens, simply by turning the lens upside down.

REFINED SPHERICAL LENS



The spherical lens provides a precise focal length to each of the multiple lens segments which enables precise detection without distortion.

180 DEGREE COVER LOCK



The front cover can be opened and closed by turning the captive screw lock 180 degrees with a flat head screwdriver. This mechanism means you will never drop a locking screw whilst at the top of your ladder ever again.

EASILY VIEWABLE



LED colour is green and easily viewable from a distance.



Global Headquarters
Inner Range Australia
+61 3 9780 4300
sales.au@innerrange.com

Inner Range United States
+1 (844) 588-0874
sales.usa@innerrange.com

Inner Range United Kingdom
+44 (0) 845 470 5000
sales.uk@innerrange.com

Inner Range Canada
+1 (844) 588-0874
sales.canada@innerrange.com

Inner Range Middle East
+971 4 8067100
sales.me@innerrange.com

Inner Range India
+91 80 4070 3333
sales.india@innerrange.com

INNERRANGE.COM

Copyright © Inner Range Pty Ltd, 2025